А

## Major Project

On

# MENTAL HEALTH PREDICTION USING MACHINE LEARNING

(Submitted in partial fulfilment of the requirements for the award of Degree)

BACHELOR OF TECHNOLOGY

in

## COMPUTER SCIENCE AND ENGINEERING

By

A. Mahesh(197R5A0507)

Nusrath Jahan(197R5A0506)

B. Swathi(197R5A0508)

Under the Guidance of

## K. PRAVEEN KUMAR

(Assistant Professor)



# DEPARTMENT OF COMPUTER SCIENCE AND ENGINEERING CMR TECHNICAL CAMPUS

**UGC AUTONOMOUS** 

(Accredited by NAAC, NIRF, NBA, Permanently Affiliated to JNTUH, Approved by AICTE, New Delhi) Recognized Under Section 2(f) & 12(B) of the UGC Act.1956, NIRF Rank Band 201-250 Kandlakoya (V), Medchal Road, Hyderabad-501401.

2018-22

**DEPARTMENT OF COMPUTER SCIENCE AND ENGINEERING** 



## CERTIFICATE

This is to certify that the project entitled "MENTAL HEALTH PREDICTION USING MACHINE LEARNING being submitted by A. MAHESH (197R5A0507), NUSRATH JAHAN (197R5A0506) & B. SWATHI (197R5A0508) in partial fulfilment of the requirements for the award of the degree of B.Tech in Computer Science and Engineering to the Jawaharlal Nehru Technological University Hyderabad, is a record of bonafide work carried out by him/her under our guidance and supervision during the year 2021-22.

The results embodied in this thesis have not been submitted to any other University or Institute for the award of any degree or diploma.

K. Praveen Kumar Assistant Professor INTERNAL GUIDE Dr. A. Raji Reddy DIRECTOR

Dr. K. Srujan Raju HOD EXTERNAL EXAMINER

Submitted for viva voice Examination held on

### ACKNOWLEDGEMENT

Apart from the efforts of us, the success of any project depends largely on the encouragement and guidelines of many others. We take this opportunity to express our gratitude to the people who have been instrumental in the successful completion of this project.

We take this opportunity to express our profound gratitude and deep regard to our guide **Mr. K. PRAVEEN KUMAR**, Assistant Professor for his exemplary guidance, monitoring and constant encouragement throughout the project work. The blessing, help and guidance given by him shall carry us a long way in the journey of life on which we are about to embark. We also take this opportunity to express a deep sense of gratitude to Project Review Committee (PRC) **Mr. A. Uday Kiran, Mr. J. Narasimharao, Dr. T. S. Mastan Rao, Mrs. G. Latha, Mr. A. Kiran Kumar**, for their cordial support, valuable information and guidance, which helped us in completing this task through various stages.

We are also thankful to **Dr. K. Srujan Raju**, Head, Department of Computer Science and Engineering for providing encouragement and support for completing this project successfully.

We are obliged to **Dr. A. Raji Reddy**, Director for being cooperative throughout the course of this project. We also express our sincere gratitude to Sri. **Ch. Gopal Reddy**, Chairman for providing excellent infrastructure and a nice atmosphere throughout the course of this project.

The guidance and support received from all the members of **CMR Technical Campus** who contributed to the completion of the project. We are grateful for their constant support and help.

Finally, we would like to take this opportunity to thank our family for their constant encouragement, without which this assignment would not be completed. We sincerely acknowledge and thank all those who gave support directly and indirectly in the completion of this project.

A. MAHESH (197R5A0507) NUSRATH JAHAN (197R5A0506) B. SWATHI (197R5A0508)

### ABSTRACT

The emotional, psychological and social welfare of a person is revealed by their mental health. It influences how an individual will think, feel or handle a situation. Positive mental health helps an individual to work productively and achieve their full potential. At each point in life, mental health is vital, from childhood to adulthood. Numerous factors contribute to mental health issues which lead to mental illness like stress, social anxiety, depression, obsessive compulsive disorder, drug addiction, workplace issues and personality disorders. The onset of mental illness should be determined without flaws for maintaining an appropriate life balance. We have collected data from online available datasets. The data has been label encoded for better prediction. The data is being subject to various machine learning techniques to obtain labels. These classified labels will then be used to build a model to predict the mental health of an individual. Our target population is in the working class i.e people above the age of 18. Once the model is built, it will be integrated to a website so that it can predict the outcome as per the details provided by the user.

# LIST OF FIGURES/TABLES

FIGURE NO	FIGURE NAME	PAGE NO
Figure 3.1	Project Architecture	6
Figure 3.2	Use case diagram	8
Figure 3.3	Class diagram	9
Figure 3.4	Sequence diagram	10
Figure 3.5	Activity diagram	11

# LIST OF SCREENSHOTS

SCREENSHOT NO.	SCREENSHOT NAME	PAGE NO
Screenshot 5.1	Comparision Between Variables	17
Screenshot 5.2	Comparision Between Categories	17
Screenshot 5.3	Distribution and density by age	18
Screenshot 5.4	Age group vs family	18
Screenshot 5.5	Age group vs treatment	19
Screenshot 5.6	Age group vs age size	19
Screenshot 5.7	Employee group ratio	20
Screenshot 5.8	No. of employees vs tech company	20
Screenshot 5.9	No. of employees vs remote work	21
Screenshot 5.10	Comparision Of Treatment	21

# TABLE OF CONTENTS

ABSTRACT		i
LIST	OF FIGURES	ii
LIST	OF SCREENSHOTS	iii
1. IN	TRODUCTION	1
1.1	PROJECT SCOPE	1
1.2	PROJECT PURPOSE	1
1.3	PROJECT FEATURES	1
2. SY	STEM ANALYSIS	2
2.1	PROBLEM DEFINITION	2
2.2	EXISTING SYSTEM	2
2.2.1	LIMITATIONS OF THE EXISTING SYSTEM	3
2.3	PROPOSED SYSTEM	3
2.3.1	ADVANTAGES OF PROPOSED SYSTEM	3
2.4	FEASIBILITY STUDY	3
2.4.1	ECONOMIC FEASIBILITY	4
2.4.2	TECHNICAL FEASIBILITY	4
2.4.3	BEHAVIOURAL FEASIBILITY	4
2.5	HARDWARE & SOFTWARE REQUIREMENTS	5
2.5.1	HARDWARE REQUIREMENTS	5
2.5.2	SOFTWARE REQUIREMENTS	5
3. AR	RCHITECTURE	6
3.1	PROJECT ARCHITECTURE	6
3.2	MODULE DESCRIPTION	7
3.3	USE CASE DIAGRAM	8
3.4	CLASS DIAGRAM	9
3.5	SEQUENCE DIAGRAM	10
3.6	ACTIVITY DIAGRAM	11
4. IM	IPLEMENTATION	12
4.1	SAMPLE CODE	12

5. SC	REENSHOTS	17
6. TE	STING	22
6.1	INTRODUCTION TO TESTING	22
6.2	TYPES OF TESTING	22
6.2.1	UNIT TESTING	22
6.2.2	INTEGRATION TESTING	22
6.2.3	FUNCTIONAL TESTING	23
6.3	TEST CASES	23
6.3.1	UPLOADING VIDEOS	23
6.3.2	DETECTION	23
7. CONCLUSION & FUTURE SCOPE		24
7.1	PROJECT CONCLUSION	24
7.2	FUTURE SCOPE	24
8. RE	FERENCES	25
8.1	REFERENCES	25
8.2	WEBSITES	25
9.JOURNAL		26

# 1. INTRODUCTION

## **1.INTRODUCTION**

## **1.1 PROJECT SCOPE**

Mental Health Prediction using machine learning is used to help a person of his/her mental condition in a positive state or negative state. Positive state defines that the person is normal state that he can handle his things by his/her own. Negative state defines the person is not in a normal way that he/she is in some stress or financial issues or health issues these can define the person is in a Positive state or Negative state If he/she in negative state that they require treatment to solve their problem. In this we are using some database to define their state and whether they require treatment or not.

### **1.2 PROJECT PURPOSE**

The Purpose of doing this project is that person can define their state and he/she can has to make changes in their life to live in a positive manner. In this project we need to fill the necessary data to require to show their mental health condition.

### **1.3 PROJECT FEATURES**

The main features of this project are algorithms which we are using in this project that calculate the person is in positive state or negative state. We take dataset and calculate the result of that dataset and predict the person's mental state according to the dataset we provided. The other feature includes the predicting the each and every single dataset and calculating them we can see the results in the graph. The graph shows the predicting of each dataset and also each countries mental health conditions showing results in graph.

# 2. SYSTEM ANALYSIS

## **2.SYSTEM ANALYSIS**

### SYSTEM ANALYSIS

System Analysis is the important phase in the system development process. the System is studied to the minute details and analysed. The system analyst plays an important role of an interrogator and dwells deep into the working of the present system. In analysis, a detailed study of these operations performed by the system and their relationships within and outside the system is done. A key question considered here is, "what must be done to solve the problem?" The system is viewed as a whole and the inputs to the system are identified.

Once analysis is completed the analyst has a firm understanding of what is to be done.

### **2.1 PROBLEM DEFINITION**

The Mental Health Prediction of a person which they cannot decide by themselves that they should depend upon the others like hospital or doctor to test weather their mental health but that requires some amount to consult the doctor or to check in hospital that both requires amount and also requires time to test and waiting for the results from the doctor or hospital. So that's why we are having some technology like Machine Learning that we can the check results of a person providing some information about their mental health condition. That's make a less time check the results by using some algorithms in machine learning

## 2.2 EXISTING SYSTEM

The existing systems gives the immense understanding of the mental health analysis amongst different target groups using different technology. The classification models performance can be improved using deep learning methods such as recurrent neural networks.

### 2.2.1 LIMITATIONS OF EXISTING SYSTEM

• The prediction of mental Health treatment shows the results of the state of a person in which positive or negative condition.

• A person is having a negative kind of condition is always being in bad state and he is supposed to in serious manner of is health and having lot of issues in his personal life.

## 2.3 PROPOSED SYSTEM

To resolve the mental well-being machine learning technique play important role. It holds great promise to transform mental health care. Its tools also hold the potential to extend the current capabilities of clinicians, to deal with complex problems and ever-expanding information streams that stretch the limits of human ability. we have developed a framework for determining the mental health state of an individual. For further improvements the concept of Machine Learning can be used for very large dataset. Our proposed different levels of questionnaire and based on the results of that provide free checking of a person's mental state and help him by diagnosis prediction.

### 2.3.1 ADVANTAGES OF THE PROPOSED SYSTEM

• To ensure availability and accessibility of minimum mental health care for all in the foreseeable future, particularly to the most vulnerable and underprivileged sections of the population.

• To encourage the application of mental health knowledge in general health care and in social development

• To promote community participation in the mental health services development and to stimulate efforts towards self help in the community

• To know the major cause of mental illness through mental health analysis.

## 2.4 FEASIBILITY STUDY

The feasibility of the project is analysed in this phase and business proposal is put forth with a very general plan for the project and some cost estimates. During system analysis the feasibility study of the proposed system is to be carried out. This is to ensure that the proposed system is not a burden to the company. Three key considerations involved in the feasibility analysis are

- Economic Feasibility
- Technical Feasibility
- Social Feasibility

#### 2.4.1 ECONOMIC FEASIBILITY

The developing system must be justified by cost and benefit. Criteria to ensure that effort is concentrated on project, which will give best, return at the earliest. One of the factors, which affect the development of a new system, is the cost it would require.

The following are some of the important financial questions asked during preliminary investigation:

- The costs conduct a full system investigation.
- The cost of the hardware and software.
- The benefits in the form of reduced costs or fewer costly errors.

Since the system is developed as part of project work, there is no manual cost to spend for the proposed system. Also all the resources are already available, it give an indication of the system is economically possible for development.

### 2.4.2 TECHNICAL FEASIBILITY

This study is carried out to check the technical feasibility, that is, the technical requirements of the system. Any system developed must not have a high demand on the available technical resources. The developed system must have a modest requirement, as only minimal or null changes are required for implementing this system.

#### 2.4.3 BEHAVIOURAL FEASIBILITY

This includes the following questions:

- Is there sufficient support for the users?
- Will the proposed system cause harm?

The project would be beneficial because it satisfies the objectives when developed and installed. All behavioural aspects are considered carefully and conclude that the project is behaviourally feasible.

## **2.5 HARDWARE & SOFTWARE REQUIREMENTS**

### 2.5.1 HARDWARE REQUIREMENTS:

Hardware interfaces specifies the logical characteristics of each interface between the software product and the hardware components of the system. The following are some hardware requirements.

- System : i5 processor
- Hard disk : 100 GB
- Ram : 4 GB

### 2.5.2 SOFTWARE REQUIREMENTS:

Software Requirements specifies the logical characteristics of each interface and software components of the system. The following are some software requirements,

- Operating system : Windows 7
- Coding : Python
- Tool : Jupyter notebook, Colab

# **3. ARCHITECTURE**

## **3. ARCHITECTURE**

## **3.1 PROJECT ARCHITECTURE**




Fig: Architecture of Mental health prediction using machine learning

## **3.2 MODULES DESCRIPTION**

### DATA PREPROCESSING

- Data preprocessing is a technique that is used to convert raw data into a clean dataset.
- The data is gathered from different sources is in raw format which is not feasible for the analysis.
- In order to perform data preprocessing using Python, we need to import some predefined
   Python libraries they are :
- Numpy: Numpy Python library is used for including any type of mathematical operation in the code.
- Pandas: The last library is the Pandas library, which is one of the most famous Python libraries and used for importing and managing the datasets.
- Matplotlib Matplotlib is a Python 2D plotting library that is used to plot any type of charts in Python.

## Pre-processing for this approach takes 4 simple yet effective steps:

- I. Attribute Selection: The attribute like serial no. is not required. The main attributes used for this study are GRE Scores, TOEFL Scores, CGPA, and University Ranking.
- II. Cleaning missing values: The library used for the task is called Scikit Learn preprocessing. It contains a class called Imputer which will help us take care of the missing data.
- III. Feature Scaling : It is performed during the data pre-processing to handle highly varying magnitudes or values or units.
  - If feature scaling is not done, then a machine learning algorithm tends to weigh greater values, higher and consider smaller values as the lower values, regardless of the unit of the values.
  - A feature scaling in machine learning model is based on Euclidean distance.
  - **Training and Test data Splitting the Dataset into Training set and Test Set**: The next step is to split our dataset into two. Training set and a Test set.
  - We will train our machine learning models on our training set and then we will test the models on our test set to examine how accurately it will predict.
  - A general rule of the thumb is to assign 75% of the dataset to training set and therefore the remaining 25% to test set.

## DATA GATHERING

- Data gathering is the process of collecting and measuring information from countless different sources.
- In order to use the data we collect to develop practical machine learning solutions, it must be collected.
- The dataset has been collected from students of different colleges. The dataset collected consist of instances of students.
- To use the dataset in our code, we usually put it into a CSV file.

## **3.3 USECASE DIAGRAM**




Fig: use case diagram for mental health prediction using machine learning

## **3.5 CLASS DIAGRAM**





Fig: class diagram for mental health prediction using machine learning



## **3.6 SEQUENCE DIAGRAM**

Fig: sequence diagram for mental health prediction using machine learning

# **3.7 ACTIVITY DIAGRAM**




Fig: activity diagram for mental health prediction using machine learning

# **4. IMPLEMENTATION**

## **IMPLEMENTATION**

## **4.1 SAMPLE CODE**

import numpy as np import pandas as pd import matplotlib.pyplot as plt import seaborn as sns from collections import Counter

from scipy import stats
from scipy.stats import randint

# prep

from sklearn.model\_selection import train\_test\_split
from sklearn import preprocessing
from sklearn.datasets import make\_classification
from sklearn.preprocessing import binarize, LabelEncoder, MinMaxScaler

#### # models

from sklearn.linear\_model import LogisticRegression
from sklearn.tree import DecisionTreeClassifier
from sklearn.ensemble import RandomForestClassifier, ExtraTreesClassifier

### # Validation libraries

from sklearn import metrics
from sklearn.metrics import accuracy\_score, mean\_squared\_error, precision\_recall\_curve
from sklearn.model\_selection import cross\_val\_score

#### #Neural Network

from sklearn.neural\_network import MLPClassifier
from sklearn.model\_selection import RandomizedSearchCV

#### #Bagging

**from** sklearn.ensemble **import** BaggingClassifier, AdaBoostClassifier **from** sklearn.neighbors **import** KNeighborsClassifier

#Naive bayes
from sklearn.naive\_bayes import GaussianNB
#Stacking
from mlxtend.classifier import StackingClassifier

# Input data files are available in the "../input/" directory. # For example, running this (by clicking run or pressing Shift+Enter) will list the files in the input directory

# from subprocess import check\_output
# print(check\_output(["ls", "./input"]).decode("utf8"))

# Any results you write to the current directory are saved as output.

#reading in CSV's from a file path
train\_df = pd.read\_csv('./input/survey.csv')

#Pandas: whats the data row count?
print(train\_df.shape)

#Pandas: whats the distribution of the data?
print(train\_df.describe())

#Pandas: What types of data do i have?
print(train\_df.info())
(1259, 27)

#missing data
total = train\_df.isnull().sum().sort\_values(ascending=False)
percent = (train\_df.isnull().sum()/train\_df.isnull().count()).sort\_values(ascending=False)
missing\_data = pd.concat([total, percent], axis=1, keys=['Total', 'Percent'])
missing\_data.head(20)
print(missing\_data)

#dealing with missing data
#Let's get rid of the variables "Timestamp", "comments", "state" just to make our lives easier.
train\_df = train\_df.drop(['comments'], axis= 1)
train\_df = train\_df.drop(['state'], axis= 1)
train\_df = train\_df.drop(['Timestamp'], axis= 1)

```
train df.isnull().sum().max() #just checking that there's no missing data missing...
train df.head(5)
# Assign default values for each data type
defaultInt = 0
defaultString = 'NaN'
defaultFloat = 0.0
# Create lists by data tpe
intFeatures = ['Age']
stringFeatures = ['Gender', 'Country', 'self employed', 'family history', 'treatment', 'work interfere',
           'no employees', 'remote work', 'tech company', 'anonymity', 'leave',
'mental health consequence',
           'phys health consequence', 'coworkers', 'supervisor', 'mental health interview',
'phys health interview',
          'mental vs physical', 'obs consequence', 'benefits', 'care options', 'wellness program',
          'seek help']
floatFeatures = []
# Clean the NaN's
for feature in train df:
  if feature in intFeatures:
```

```
train_df[feature] = train_df[feature].fillna(defaultInt)
```

```
elif feature in stringFeatures:
```

```
train_df[feature] = train_df[feature].fillna(defaultString)
```

```
elif feature in floatFeatures:
     train df[feature] = train df[feature].fillna(defaultFloat)
  else:
     print('Error: Feature %s not recognized.' % feature)
train df.head(5)
#clean 'Gender'
#Slower case all columm's elements
gender = train df['Gender'].str.lower()
#print(gender)
#Select unique elements
gender = train df['Gender'].unique()
for (row, col) in train df.iterrows():
  if str.lower(col.Gender) in male str:
     train df['Gender'].replace(to replace=col.Gender, value='male', inplace=True)
  if str.lower(col.Gender) in female str:
     train df['Gender'].replace(to replace=col.Gender, value='female', inplace=True)
  if str.lower(col.Gender) in trans str:
     train df['Gender'].replace(to replace=col.Gender, value='trans', inplace=True)
#Get rid of bullshit
stk list = ['A little about you', 'p']
train df = train df[-train df['Gender'].isin(stk list)]
print(train df['Gender'].unique())
#complete missing age with mean
train df['Age'].fillna(train df['Age'].median(), inplace = True)
\# Fill with media() values < 18 and > 120
s = pd.Series(train df['Age'])
s[s<18] = train df['Age'].median()
train df['Age'] = s
s = pd.Series(train df['Age'])
s[s>120] = train df['Age'].median()
train df['Age'] = s
#Ranges of Age
train df['age range'] = pd.cut(train df['Age'], [0,20,30,65,100], labels=["0-20", "21-30", "31-65", "66-
100"], include lowest=True)
#There are only 0.014% of self employed so let's change NaN to NOT self employed
#Replace "NaN" string from defaultString
train df['self employed'] = train df['self employed'].replace([defaultString], 'No')
```

print(train\_df['self\_employed'].unique())

['No' 'Yes']

```
def logisticRegression():
   # train a logistic regression model on the training set
   logreg = LogisticRegression()
   logreg.fit(X_train, y_train)
   # make class predictions for the testing set
   y pred class = logreg.predict(X test)
   print('########### Logistic Regression ###################
   accuracy score = evalClassModel(logreg, y test, y pred class, True)
   #Data for final graph
   methodDict['Log. Regres.'] = accuracy score * 100
     def Knn():
    # Calculating the best parameters
    knn = KNeighborsClassifier(n neighbors=5)
        # From <u>https://github.com/justmarkham/scikit-learn-</u>
    videos/blob/master/08 grid search.ipynb
    #tuningCV(knn)
    #tuningGridSerach(knn)
    #tuningMultParam(knn)
    # define the parameter values that should be searched
    k range = list(range(1, 31))
    weight options = ['uniform', 'distance']
    # specify "parameter distributions" rather than a "parameter grid"
    param dist = dict(n neighbors=k range, weights=weight options)
    tuningRandomizedSearchCV(knn, param dist)
    # train a KNeighborsClassifier model on the training set
    knn = KNeighborsClassifier(n neighbors=27, weights='uniform')
    knn.fit(X train, y train)
    # make class predictions for the testing set
    y pred class = knn.predict(X test)
    accuracy score = evalClassModel(knn, y test, y pred class, True)
    #Data for final graph
    methodDict['KNN'] = accuracy_score * 100
def treeClassifier():
   # Calculating the best parameters
   tree = DecisionTreeClassifier()
   featuresSize = feature_cols.__len__()
   param dist = {"max depth": [3, None],
             "max features": randint(1, featuresSize),
             "min samples split": randint(2, 9),
             "min samples leaf": randint(1, 9),
             "criterion": ["gini", "entropy"] }
```

# **5. SCREENSHOTS**

## **5. SCREENSHOTS**




Fig 5.1: Correlation matrix




Fig:5.2 Variability Comparison Between Categories Of Variables




Fig 5.3: Distribution and density by age







Fig 5.4: Age vs family history












Fig 5.7: Employee group ratio





Fig 5.8: Number of employees vs tech company



No. Employees vs Remote Work

Fig 5.9: Number of employees vs remote work




Fig 5.10: Treatment Comparison

# 6. TESTING

### 6. TESTING

### **6.1 INTRODUCTION TO TESTING**

The purpose of testing is to discover errors. Testing is the process of trying to discover very conceivable fault or weakness in a work product. It provides a way to check the functionality of components, sub-assemblies, assemblies and/or a finished product. It is the process of exercising software with the intent of ensuring that the Software system meets its requirements and user expectations and does not fail in an unacceptable manner. There are various types of test. Each test type addresses a specific testing requirement.

## 6.2 TYPES OF TESTING

### 6.2.1 UNIT TESTING

Unit testing involves the design of test cases that validate that the internal program logic is functioning properly, and that program inputs produce valid outputs. All decision branches and internal code flow should be validated. It is the testing of individual software units of the application .it is done after the completion of an individual unit before integration. This is a structural testing, that relies on knowledge of its construction and is invasive. Unit tests perform basic tests at component level and test a specific business process, application, and/or system configuration. Unit tests ensure that each unique path of a business process performs accurately to the documented specifications and contains clearly defined inputs and expected results.

#### **6.2.2 INTEGRATION TESTING**

Integration tests are designed to test integrated software components to determine if they actually run as one program. Testing is event driven and is more concerned with the basic outcome of screens or fields. Integration tests demonstrate that although the components were individually satisfaction, as shown by successfully unit testing, the combination of components is correct and consistent. Integration testing is specifically aimed at exposing the problems that arise from the combination of components

#### 6.2.3 FUNCTIONAL TESTING

Functional tests provide systematic demonstrations that functions tested are available as specified by the business and technical requirements, system documentation, and user manuals.

Functional testing is centered on the following items:

- Valid Input : identified classes of valid input must be accepted.
- Invalid Input : identified classes of invalid input must be rejected.
- Functions : identified functions must be exercised.
- Output : identified classes of application outputs must be exercised.
- Systems/Procedures: interfacing systems or procedures must be invoked.

Organization and preparation of functional tests is focused on requirements, key functions, or special test cases. In addition, systematic coverage pertaining to identify Business process flows; data fields, predefined processes.

## 6.3 TESTCASES 6.3.1 UPLOADING DATASET

Test Case ID	Test Case Name	Purpose		TestCase	Output
1	User Upload The	Use	for	The User upload	Calculates the
	DataSet	Prediction		the dataset for	Dataset Given
				prediction	

#### 6.3.2 DETECTION

Test Case ID	Test Case Name	Purpose	input	Output
1	Prediction	To Predict the	A dataset is	Mental health
		mental health	given as input	Prediction of a
				person

# 7. CONCLUSION

### 7. CONCLUSION

#### 7.1 PROJECT CONCLUSION

Many different techniques and algorithms had been introduced and proposed to test and solve the mental health problems. There are still many solutions that can be refined. In addition, there are still many problems to be discovered and tested using a wide variety of settings in machine learning for the mental health domain. As classifying the mental health data is generally a very challenging problem, the features used in the machine learning algorithms will significantly affect the performance of the classification. The existing studies and research show that machine learning can be a useful tool in helping understand psychiatric disorders. Besides that, it may also help distinguish and classify the mental health problems among patients for further treatment. Newer approaches that use data that arise from the integration of various sensor modalities present in technologically advanced devices have proven to be a convenient resource to recognize the mood state and responses from patients among others. It is noticeable that most of the research and studies are still struggling to validate the results because of insufficiency of acceptable validated evidence, especially from the external sources. Besides that, most of the machine learning might not have the same performance across all the problems. The performance of the machine learning models will vary depending on the data samples obtained and the features of the data. Moreover, machine learning models can also be affected by pre-processing activities such as data cleaning and parameter tuning in order to achieve optimal results.

#### 7.2 FUTURE SCOPE

We will investigate and analyse the data with various machine learning algorithms to choose the highest accuracy among the machine learning algorithms. Not only that, challenges and limitations faced by the us need to be managed with proper care to achieve satisfactory results that could improve the clinical practice and decisionmaking.

# 8. BIBILIOGRAPHY

### 8. **BIBILIOGRAPHY**

### **8.1 REFERENCES**

**1.** G. Miner, L. Miner, M. Goldstein et al., Practical Predictive Analytics and Decisioning Systems for Medicine: Informatics Accuracy and Cost-Effectiveness for Healthcare Administration and Delivery Including Medical Research, Academic Press, Inc., Cambridge, MA, USA, 1st edition, 2016.

2. M. Hamilton, "Development of a rating scale for primary depressive illness,"
British Journal of Social and Clinical Psychology, vol. 6, no. 4, pp. 278–296, 1967.
View at: Publisher Site | Google Scholar

**3.** American Psychiatric Association, Diagnostic and Statistical Manual of Mental Disorders, American Psychiatric Association, Reston, VA, USA, 2013.

4. M. I. Jordan and T. M. Mitchell, "Machine learning: trends, perspectives, and prospects," Science, vol. 349, no. 6245, pp. 255–260, 2015.
View at: Publisher Site | Google Scholar

### **8.2 WEBSITES**

<u>https://www.hindawi.com/journals/acisc/2022/9970363/</u>
 <u>https://www.researchgate.net/publication/357624760\_Mental\_Health\_Prediction\_Using\_Machine\_Learning\_Taxonomy\_Applications\_and\_Challenges</u>
 <u>https://github.com/Mahesh507/Mental\_Health\_Prediction\_Using\_Machine\_Learning\_g</u>

# 9.JOURNAL



# **Mental Health Prediction Using Machine Learning**

K. Praveen Kumar<sup>1</sup>, A. Mahesh<sup>2</sup>, B. Swathi<sup>3</sup> and Nusrath Jahan<sup>4</sup>

Assistant Professor, Department of Computer Science and Engineering, CMR Technical Campus, Medchal, Telangana, India.

UG Student, Department of Computer Science and Engineering, CMR Technical Campus, Medchal, Telangana, India.

- UG Student, Department of Computer Science and Engineering, CMR Technical Campus, Medchal, Telangana, India.
  - UG Student, Department of Computer Science and Engineering, CMR Technical Campus, Medchal, Telangana, India.

#### **ABSTRACT:**

2

3

Δ

The emotional, psychological and social welfare of a person is revealed by their mental health. It influences how an individual will think, feel or handle a situation. Positive mental health helps an individual to work productively and achieve their full potential. At each point in life, mental health is vital, from childhood to adulthood. Numerous factors contribute to mental health issues which lead to mental illness like stress, social anxiety, depression, obsessive compulsive disorder, drug addiction, workplace issues and personality disorders. The onset of mental illness should be determined without flaws for maintaining an appropriate life balance. We have collected data from online available datasets. The data has been label encoded for better prediction. The data is being subject to various machine learning techniques to obtain labels. These classified labels will then be used to build a model to predict the mental health of an individual. Our target population is in the working class i.e people above the age of 18. Once the model is built, it will be integrated to a website so that it can predict the outcome as per the details provided by the user.

Keywords: Age, Gender, Qualification, Family Background, Monthly Income, Country, State.

#### 1. INTRODUCTION

Mental Health Prediction using machine learning is used to help a person of his/her mental condition in a positive state or negative state. Positive state defines that the person is normal state that he can handle his things by his/her own. Negative state defines the person is not in a normal way that he/she is in some stress or financial issues or health issues these can define the person is in a Positive state or Negative state If he/she in negative state that they require treatment to solve their problem. In this we are using some database to define their state and whether they require treatment or not.

#### 2. SYSTEM ANALYSIS

System Analysis is the important phase in the system development process. the System is studied to the minute details and analysed. The system analyst plays an important role of an interrogator and dwells deep into the working of the present system. In analysis, a detailed study of these operations performed by the system and their relationships within and outside the system is done. A key question considered here is, "what must be done to solve the problem?" The system is viewed as a whole and the inputs to the system are identified. Once analysis is completed the analyst has a firm understanding of what is to be done.

#### 3. EXISTING SYSTEM

The existing systems gives the immense understanding of the mental health analysis amongst different target groups using different technology. The classification models performance can be improved using deep learning methods such as recurrent neural networks.

#### 4. PROPOSED SYSTEM

To resolve the mental well-being machine learning technique play important role. It holds great promise to transform mental health care. Its tools also hold the potential to extend the current capabilities of clinicians, to deal with complex problems and ever-expanding information streams that stretch the limits of human ability, we have developed a framework for determining the mental health state of an individual. For further improvements the concept of Machine Learning can be used for very large dataset. Our proposed different levels of questionnaire and based on the results of that provide free checking of a person's mental state and help him by diagnosis prediction.

#### **5. REOUIREMENTS**

For any system requirements plays a major role because that gives us an idea of how much cost it is going to cost for along with the size of manufacturing it. Requirements can be classified into Hardware and Software where Hardware requirements give us the understanding on the interface and logical understanding whereas software requirements gives us understanding of the code, software to be used and below are the detail requirements for this proposed project.

- System : i5 processor
- Hard disk : 100 GB
- Ram: 4 GB



- Operating system : Windows 7
- Coding : Python
- Tool : Jupyter notebook, Colab

#### 6. ARCHITECTURE

The architecture of this mental health is that to check the state of a person in a negative state or positive. For Predict the state of person we need to have database that are required for predicting the result. This architecture shows that once we have to take the dataset and after taking the dataset, we have data pre-processing means we have training set and testing set after doing that we have take an appropriate algorithm for calculating the results. The results shows the mental condition of person




Fig: Architecture of Mental health prediction using machine learning

#### 7. MODULES DESCRIPTION

In terms of modules, we will be concentrating the below listed ones:

#### DATA PREPROCESSING

- Data preprocessing is a technique that is used to convert raw data into a clean dataset.
- The data is gathered from different sources is in raw format which is not feasible for the analysis
- .• In order to perform data preprocessing using Python, we need to import some predefined Python libraries they are :
- Numpy: Numpy Python library is used for including any type of mathematical operation in the code.

• Pandas: The last library is the Pandas library, which is one of the most famous Python libraries and used for importing and managing the datasets.

• Matplotlib - Matplotlib is a Python 2D plotting library that is used to plot any type of charts in Python.

#### 8. USE CASE, SEQUENCE, & CLASS DAIGRAM

These diagrams give a picture of the detail process we follow from capturing the image to the displaying the output. **i.** Use case Diagram:





FIG -6 Use Case Diagram for User Class Diagram:

ii.





#### iii. Sequence Diagram





FIG -8 Sequence Diagram of User






FIG -10 Activity Diagram



#### 9. TESTING

The purpose of testing to find the final errors or to know what else we can do in order to improve the solution. There are different types of tests which has a specific requirement.

- unit testing: Unit testing involves the design of test cases that validate that the internal program logic is functioning properly, and that program inputs produce valid outputs. All decision branches and internal code flow should be validated. It is the testing of individual software units of the application .it is done after the completion of an individual unit before integration. This is a structural testing, that relies on knowledge of its construction and is invasive. Unit tests perform basic tests at component level and test a specific business process, application, and/or system configuration. Unit tests ensure that each unique path of a business process performs accurately to the documented specifications and contains clearly defined inputs and expected results.
- b- Integration Test Integration tests are designed to test integrated software components to determine if they actually run as one program. Testing is event driven and is more concerned with the basic outcome of screens or fields. Integration tests demonstrate that although the components were individually satisfaction, as shown by successfully unit testing, the combination of components is correct and consistent. Integration testing is specifically aimed at exposing the problems that arise from the combination of components
- c- Functional Testing: Functional tests provide systematic demonstrations that functions tested are available as specified by the business and technical requirements, system documentation, and user manuals. Uploading Dataset


	Test case ID		Purpose	Test Case	Output
1		User Upload The DataSet	Use for Prediction	The User upload the dataset for prediction	Calculates the Dataset Given

#### Detection

Test case ID	Test case name	Purpose	Input	Output
1	Prediction	To Predict the mental health	A dataset is given as input	Mental health Prediction of a person



#### **10. RESULTS**











Fig 2: Distribution and density by age














Fig 5 : Treatment Prediction



#### CONCLUSION

Many different techniques and algorithms had been introduced and proposed to test and solve the mental health problems. There are still many solutions that can be refined. In addition, there are still many problems to be discovered and tested using a wide variety of settings in machine learning for the mental health domain. As classifying the mental health data is generally a very challenging problem, the features used in the machine learning algorithms will significantly affect the performance of the classification. The existing studies and research show that machine learning can be a useful tool in helping understand psychiatric disorders. Besides that, it may also help distinguish and classify the mental health problems among patients for further treatment. Newer approaches that use data that arise from the integration of various sensor modalities present in technologically advanced devices have proven to be a convenient resource to recognize the mood state and responses from patients among others. It is noticeable that most of the research and studies are still struggling to validate the results because of insufficiency of acceptable validated evidence, especially from the external sources. Besides that, most of the machine learning might not have the same performance across all the problems. The performance of the machine learning models will vary depending on the data samples obtained and the features of the data. Moreover, machine learning models can also be affected by preprocessing activities such as data cleaning and parameter tuning in order to achieve optimal results

#### **FUTURE SCOPE**

We will investigate and analyse the data with various machine learning algorithms to choose the highest accuracy among the machine learning algorithms. Not only that, challenges and limitations faced by the us need to be managed with proper care to achieve satisfactory results that could improve the clinical practice and decisionmaking.

#### REFERENCE

[1].. G. Miner, L. Miner, M. Goldstein et al., Practical Predictive Analytics and Decisioning Systems for Medicine: Informatics Accuracy and Cost-Effectiveness for Healthcare Administration and Delivery Including Medical Research, Academic Press, Inc., Cambridge, MA, USA, 1st edition, 2016

[2]. M. Hamilton, "Development of a rating scale for primary depressive illness," British Journal of Social and Clinical Psychology, vol. 6, no. 4, pp. 278–296, 1967. View at: Publisher Site | Google Scholar

[3. American Psychiatric Association, Diagnostic and Statistical Manual of Mental Disorders, American Psychiatric Association, Reston, VA, USA, 2013..

[4]. M. I. Jordan and T. M. Mitchell, "Machine learning: trends, perspectives, and prospects," Science, vol. 349, no. 6245, pp. 255–260, 2015. [5]. Aladdin Masri, Muhannad Al-Jabi,-2020 Jordan International Joint Conference on Electrical and Information technology[JICEIT]-[2020]



is hereby awarding this certificate to

# K. Praveen Kumar

in recognition the publication of manuscript entitled Mental Health Prediction Using Machine Learning Jublished in Ijsrem, Journal Volume 06 Issue 06, June 2022



Editor in Chief E-mail: editor@lijsrem.com

www.ijsrem.com



is hereby awarding this certificate to

A. Mahesh

in recognition the publication of manuscript entitled Mental Health Prediction Using Machine Learning Jublished in Ijsrem, Journal Volume 06 Issue 06, June 2022



Editor in Chief E-mail: editor@lijsrem.com

www.ijsrem.com



is hereby awarding this certificate to

Nusrath Jahan

in recognition the publication of manuscript entitled Mental Health Prediction Using Machine Learning Jublished in Jisrem, Journal Volume 06 June 2022



Editor in Chief E-mail: editor@lijsrem.com

www.ijsrem.com



is hereby awarding this certificate to

B. Swathi

in recognition the publication of manuscript entitled Mental Health Prediction Using Machine Learning Jublished in Ijsrem, Journal Volume 06 Issue 06, June 2022



Editor in Chief E-mail: editor@lijsrem.com

www.lisrem.com